

INSUPPORT® Copay Assistance Program for SUBLOCADE® (buprenorphine extended-release) Injection, for Subcutaneous Use (CIII)

The INSUPPORT Copay Assistance Program for SUBLOCADE may help eligible patients pay as little as \$0 per injection of SUBLOCADE.^a

Restrictions apply. Please see insert in pocket or visit www.INSUPPORT.com for full Terms & Conditions.

**WARNING: RISK OF SERIOUS HARM OR DEATH WITH INTRAVENOUS ADMINISTRATION;
SUBLOCADE RISK EVALUATION AND MITIGATION STRATEGY**

- **Serious harm or death could result if administered intravenously. SUBLOCADE forms a solid mass upon contact with body fluids and may cause occlusion, local tissue damage, and thrombo-embolic events, including life threatening pulmonary emboli, if administered intravenously.**
- **Because of the risk of serious harm or death that could result from intravenous self-administration, SUBLOCADE is only available through a restricted program called the SUBLOCADE REMS Program. Healthcare settings and pharmacies that order and dispense SUBLOCADE must be certified in this program and comply with the REMS requirements.**

Please see accompanying full [Prescribing Information](#), including **BOXED WARNING**, and [Medication Guide](#) or go to SUBLOCADE.com.

For REMS information, visit www.SUBLOCADEREMS.com.

^a For the first 2 injections per calendar year. Additional out-of-pocket copay support may be available for subsequent injections for the remainder of the calendar year.

How the Program Works

The INSUPPORT® Copay Assistance Program may help eligible patients being treated with SUBLOCADE® (buprenorphine extended-release) injection, for subcutaneous use (CIII) reduce their out-of-pocket costs. For program Terms & Conditions visit www.INSUPPORT.com or see insert in pocket.

Here's how the program works:

Eligible patients may pay as little as \$0 per injection of SUBLOCADE for the first 2 injections in each calendar year. The out-of-pocket costs for subsequent injections may be higher for the remainder of the calendar year.^{b,c}

The program benefit may be applied for a maximum of 14 injections per calendar year and requires that there must be a minimum of 23 days between dates of service.

If the patient's financial responsibility is greater than the maximum benefit per injection, they will be responsible for any remaining costs not covered by the program.

The program benefit is valid for out-of-pocket costs for SUBLOCADE only. It is not valid for any other out-of-pocket costs, including costs associated with the administration of SUBLOCADE (for example, office visit or medication administration charges).



INSUPPORT may help provide information on a patient's insurance coverage for SUBLOCADE, if requested.

For **BOXED WARNING**, refer to first page. Please see accompanying full [Prescribing Information](#), including **BOXED WARNING**, and [Medication Guide](#) or go to SUBLOCADE.com.

For REMS information, visit www.SUBLOCADEREMS.com.

Who Is Eligible?

Eligibility Criteria for Patients

- Private health insurance that provides coverage for some portion of the cost of SUBLOCADE® (buprenorphine extended-release) injection, for subcutaneous use (CIII) under a medical or pharmacy benefit plan
- Private health insurance not funded by a government organization
- At least 18 years of age and less than 65 years of age
- Resident of the United States or US territories
- Resident of a state where copay assistance is not prohibited
- Private insurance does not prohibit coupons/copay assistance for SUBLOCADE
- Prescribed SUBLOCADE for an indication approved by the Food and Drug Administration

Patients may be eligible for the INSUPPORT® Copay Assistance program if all the above criteria are met. There may be additional requirements and your eligibility will be determined based on such requirements.



If the patient does not meet the requirements, help may be available from other sources.

Contact INSUPPORT for details.

^b The INSUPPORT Copay Assistance Program is valid ONLY for patients with private insurance who are prescribed SUBLOCADE for on-label use. Patients with government insurance are not eligible for the Copay Assistance Program, including, but not limited to, Medicare, Medicaid, Medigap, VA, DoD, TRICARE, CHAMPVA, or any other federally or state-funded government-assisted program. Other restrictions apply. Visit www.INSUPPORT.com to view complete Terms & Conditions.

^c Initial enrollees between October 1 and December 31 will have a first enrollment period of up to 15 months, and any subsequent enrollment periods will be 1 calendar year. Visit www.INSUPPORT.com to view complete Terms & Conditions.

For **BOXED WARNING**, refer to first page. Please see accompanying full [Prescribing Information](#), including **BOXED WARNING**, and [Medication Guide](#) or go to SUBLOCADE.com.

For REMS information, visit www.SUBLOCADEREMS.com.

Getting Started Is Simple



Eligible patients may enroll in the INSUPPORT® Copay Assistance Program for SUBLOCADE® (buprenorphine extended-release) injection, for subcutaneous use (CIII) by following the enrollment steps on www.INSUPPORT.com/savings.



Healthcare providers may also get patients started in the INSUPPORT Copay Assistance Program for SUBLOCADE by downloading the **Patient Enrollment Form**.

- The provider submits the completed Patient Enrollment Form online at www.INSUPPORTportal.com, or faxes all pages to INSUPPORT at 844-814-0669.
- The patient provides their authorization on the Patient Enrollment Form or the **Patient Authorization Form**.

Once enrolled in the program, patients present their copay member ID to any pharmacy or healthcare provider that may be dispensing or administering the medication.

Have a question? Our knowledgeable
INSUPPORT team is here to help.

Call **844-INSPPRT** (844-467-7778), 8 AM to 8 PM ET
Monday through Friday.

For **BOXED WARNING**, refer to first page. Please see accompanying full [Prescribing Information](#), including **BOXED WARNING**, and [Medication Guide](#) or go to SUBLOCADE.com.

For REMS information, visit www.SUBLOCADEREMS.com.